
SECTION I - PRODUCTION IDENTIFICATION

PARA-ARAMID PRODUCTS**MANUFACTURER:**

NEWTEX INDUSTRIES, INC.
8050 Victor-Mendon Road
Victor, New York 14564
(585) 924-9135

Date: 02/07/13

Prepared by: Newtex Quality Department

SECTION II - INGREDIENTS

The above products are considered "articles" according to OSHA Hazard Communication Standard 29 CFR 1910.1200 and, as such, are exempt from the Material Safety Data Sheet provisions of 29 CFR 1910.1200(G)(6). As a service to the customer, Newtex Industries Inc. has prepared this Material Safety Data Sheet to provide appropriate safety and handling information. These products are considered non-hazardous when used according to accepted practices for the intended use.

<u>COMMON NAME:</u>	<u>CHEMICAL NAME:</u>	<u>CAS No.</u>	<u>WT.%</u>
Para-Aramid	Poly(terephthaloylchloride/p-phenylenediamine)	26125-61-1	100%

SECTION III - HAZARD IDENTIFICATION

Emergency Overview

No unusual conditions are expected from this product.
The hazards of this product are associated mainly with its processing.

PRIMARY ROUTES OF ENTRY:

- Inhalation: Processing para-aramid products can release respirable dust and respirable fiber particulate. Dust may form explosive mixture in air. Prolonged inhalation of respirable dust and respirable fiber particulate at high concentrations can cause lung damage.
- Skin: Short contact with human skin is not likely to produce skin irritation. Continual rubbing of fiber particulates and dust on the skin can cause a transitory, mild irritation with redness or itching

Newtex Industries, Inc. - 8050 Victor-Mendon Rd., Victor, NY 14564-9109, Phone (585) 924-9135, Fax (585) 924-4645
E-Mail: tech@newtex.com; Internet address: www.newtex.com



MATERIAL SAFETY DATA SHEET

MSDS062

Eyes: High concentrations of dust may cause a physical irritation to the eye.
Ingestion: Although not likely to occur in industrial applications, accidental ingestion may cause irritation of the mouth and gastrointestinal tract.

CHRONIC HEALTH EFFECTS:

There is no known chronic health effects associated with long term use or contact with this product.

CARCINOGENICITY:

This product is not known as a carcinogen.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

Respiratory or skin conditions that are aggravated by mechanical irritants may be at an increased risk for worsening from exposure to this product.

SECTION IV – FIRST AID

INHALATION: If processing dust is inhaled, move the person to fresh air. Seek medical attention if irritation persists.

SKIN: Wash any material off skin with mild soap and cool water. Do not rub or scratch irritated areas. This may force fibers into the skin. Seek medical attention if irritation persists.

EYES: Flush with water for at least 15 minutes. Seek medical attention if irritation persists.

INGESTION: Not expected to occur. Should ingestion take place, the person should be watched for several days to ensure intestinal blockage does not occur.

SECTION V - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED): N/A

FLAMMABLE LIMIT: LEL: N/A UEL: N/A

AUTO IGNITION TEMPERATURE: N/A

UNUSUAL FIRE AND EXPLOSIVE HAZARDS: None

EXTINGUISHING MEDIA: In a sustained fire use an extinguisher appropriate for surrounding fire.

SPECIAL FIRE FIGHTING PROCEDURES: Fiber itself will not support combustion, but in a sustained fire, proper protection against products of combustion must be worn. Use self-contained breathing apparatus (SCBA) and full bunker turnout gear in a sustained fire.



MATERIAL SAFETY DATA SHEET

MSDS062

HAZARDOUS COMBUSTION PRODUCTS:

In a sustained fire, the yarn finish will decompose, releasing minor quantities of decomposition products believed to be insufficient to be harmful.

SECTION VI - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Land Spill: Material is a solid. Pick up the larger pieces and wet sweep or vacuum up any scrapes. Place in a suitable container for disposal as a non-hazardous waste.

Water Spill: This material will sink and disperse along the bottom of waterways and ponds. Large pieces should be removed and placed in a suitable container for disposal. Smaller pieces cannot be easily removed after it is waterborne; however, the material is non-hazardous in water.

Air Release: The material will settle out of the air where it can be cleaned as a land spill.

SECTION VII – HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING:

For maximum comfort, avoid excessive contact with skin and use good personal hygiene. Avoid dust formation. Exposure to fiber fly, dust and decomposition products of spin-finishes should be avoided by ventilation and/or vacuum cleaning.

OTHER PRECAUTIONS:

If excessive dust is generated, use a respirator approved by NIOSH for dust. This material is not an electrical conductor and may accumulate static charge.

STORAGE TEMPERATURE:

N/A

STORAGE PRESSURE:

N/A

GENERAL:

Keep away from sunlight and UV lights.



MATERIAL SAFETY DATA SHEET

MSDS062

SECTION VIII – EXPOSURE CONTROL/ PERSONAL PROTECTION

EXPOSURE LIMITS:

<u>COMMON NAME:</u>	<u>OSHA PEL</u> 8-hr TWA	<u>ACGIH TLV</u> 8-hr TWA	<u>AEL(DUPONT) 8-</u> hr TWA
Para-Aramid	None Established	None Established	5 mg/m ³

OSHA = Occupational Safety and Health Administration

ACGIH = American Conference of Governmental Industrial Hygienists

AEL (DUPONT) = DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

PEL = Permissible Exposure Limits

TLV = Threshold Limit Value

VENTILATION:

Use local exhaust or general room dilution to maintain employee exposures below occupational exposure limits. Recirculated air should be filtered to remove respirable dust. Provide for appropriate exhaust ventilation and dust collection at machinery. Static charges can cause explosions in solvent and dust laden atmospheres. Provide grounding of equipment to prevent static build-up.

RESPIRATORY PROTECTION:

If the use or manufacturing of this product generates dust concentrations above the exposure limit, appropriate certified respirators must be used.

PROTECTIVE GLOVES:

Not required, but gloves and barrier creams can be used to protect against mechanical irritation of the hands.

EYE PROTECTION:

As generally good practice, safety glasses with side shields should be worn.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

None required. Good personal hygiene, barrier creams, caps, coveralls, loose fitting long sleeve shirt that covers to the base of the neck and long pants will maximize comfort. Skin irritation is known to occur chiefly at pressure points such as around the neck, wrist, waist, and between fingers.

WORK HYGIENIC PRACTICES:

Handle using good industrial hygiene and safety practices. Wash thoroughly with mild soap and cool water after handling of the material. Remove material from clothing using vacuum equipment (never used compressed air). Keep the work area clean of dusts and fibers released during

Newtex Industries, Inc. - 8050 Victor-Mendon Rd., Victor, NY 14564-9109, Phone (585) 924-9135, Fax (585) 924-4645

E-Mail: tech@newtex.com; Internet address: www.newtex.com



MATERIAL SAFETY DATA SHEET

MSDS062

processing or fabrication. Use vacuum equipment to clean up product. Avoid dry sweeping or using compressed air as these techniques re-suspend dusts and fibers into the air. Have access to a shower and eye wash station.

SECTION IX - PHYSICAL DATA

BOILING POINT:	Not Applicable
MELTING POINT:	Does not melt
FREEZING POINT:	Not Applicable
SPECIFIC GRAVITY RANGE (H ₂ O=1):	1.44-1.45
pH:	Not Applicable
VISCOSITY:	Not Applicable
SOLUBILITY IN WATER:	Insoluble
PERCENT VOLATILE BY VOLUME:	None
VAPOR DENSITY (Air=1):	Not Applicable
VAPOR PRESSURE (mm Hg):	Not Applicable
EVAPORATION RATE (Butyl Acetate=1):	Not Applicable
PHYSICAL STATE:	Solid
APPEARANCE AND ODOR:	Yellow woven fabric; odorless.

SECTION X - REACTIVITY DATA

STABILITY:	Stable
CONDITIONS TO AVOID:	None known
INCOMPATIBILITY:	Strong acids and strong bases
HAZARDOUS POLYMERIZATION:	Will not occur

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

Decomposition temperature is 572°F (300°C). Hazardous thermal decomposition products include Carbon Dioxide, Nitrogen Oxides (NO_x), Hydrogen cyanide (gaseous), Ammonia, Aldehydes, and Hydrocarbons.

SECTION XI - TOXICOLOGICAL INFORMATION

CARCINOGENICITY: None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP or OSHA as a carcinogen. Animal testing did not show any carcinogenic effects.

<u>INGREDIENT</u>	<u>IARC</u>	<u>NTP</u>	<u>OSHA</u>
Para-Aramid	No	No	No



MATERIAL SAFETY DATA SHEET

MSDS062

Oral ALD: > 7,500 mg/kg, rat
Skin irritation: Species: rabbit, No skin irritation
Eye irritation: Non-irritant
Repeated dose toxicity: Inhalation, rat; Lung effects
Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

SECTION XII - ECOLOGICAL INFORMATION

This product has no known eco-toxicological effects. It is considered to be an inert solid waste. This material is not expected to cause harm to animals, plants or fish. No special precautions are needed in case of a release or spill.

SECTION XIII – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Can be landfilled or incinerated in compliance with federal, state, provincial and local environmental control regulations. Dispose of as any other innocuous material. Product is not a hazardous waste under RCRA 40 CFR 261.

SECTION XIV - TRANSPORTATION INFORMATION

DOT SHIPPING NAMES:	Not regulated
HAZARD CLASS OR DIVISION:	None
SECONDARY:	None
IDENTIFICATION NUMBER:	None
PACKING GROUP:	None
LABEL(S) REQUIRED (if not excepted):	None
SPECIAL PROVISIONS:	None
PACKAGE EXCEPTIONS:	None
NON-BULK PACKAGING:	None
BULK PACKAGING:	None
EPA HAZARDOUS SUBSTANCES:	None
REPORTABLE QUANTITY:	Not Applicable
QUANTITY LIMITATIONS:	
PASSENGER AIRCRAFT:	None
CARGO AIRCRAFT:	None
MARINE POLLUTANTS:	None
FREIGHT DESCRIPTION:	None
HAZARDOUS MATERIAL SHIPPING DESCRIPTION:	None



MATERIAL SAFETY DATA SHEET
TRANSPORTATION OF DANGEROUS GOODS – CANADA

MSDS062

DOT SHIPPING NAMES:	Not regulated
TDG HAZARD CLASSIFICATION	
PRIMARY:	None
SECONDARY:	None
IMO CLASSIFICATION:	None
ICAO/IATA CLASSIFICATION:	None
PRODUCT IDENTIFICATION NUMBER:	None
PACKING GROUP:	None
CONTROL TEMPERATURE:	None
EMERGENCY TEMPERATURE:	None
SCHEDULE XII QUANTITY RESTRICTIONS:	None
REPORTABLE QUANTITY FOR US SHIPMENTS:	None
IATA PACKAGING INSTRUCTIONS	
PASSENGER/CARGO:	None
CARGO ONLY:	None
LIMITED QUANTITY:	None
MAXIMUM NET QUANTITY PER PACKAGE	
PASSENGER/CARGO:	None
CARGO ONLY:	None
LIMITED QUANTITY:	None
SPECIAL PROVISIONS:	None

SECTION XV - REGULATORY INFORMATION

TSCA STATUS: Listed or compliant

SARA TITLE III **Reportable Ingredients:**
Section 313: None

CALIFORNIA PROPOSITION 65: None known

PARA-ARAMID PRODUCTS are considered articles, therefore are exempt from the following requirements:

USA:	TSCA – Toxic Substances Control Act
EUROPE:	EINECS – European Inventory of Existing Commercial Chemical Substances
CANADA:	DSL – Domestic Substance List
AUSTRALIA:	AICS – Australian Inventory of Chemical Substances
KOREA:	ECL (KECI) – Korean Existing Chemical Inventory
JAPAN:	MITI (ENCS) – Existing and New Chemical Substances
PHILIPPINES:	PICCS – Philippines Inventory of Chemicals and Chemical Substances



MATERIAL SAFETY DATA SHEET

MSDS062

SECTION XVI – OTHER INFORMATION

HMIS AND NFPA HAZARD RATINGS

<u>HMIS Rating</u>		<u>NFPA Rating</u>	
Health (acute):	1	Health:	1
Flammability:	0	Flammability:	0
Reactivity:	0	Reactivity:	0
Personal Protection:	*	Unusual Hazards:	None

* Personal protective equipment requirements must be supplied by the user depending upon use.

The information herein is given in good faith, but no warranty, expressed or implied is made and we assume no liability from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.